

PREMIUM EXTERIOR DOORS

CODEL
DOORS



Fiberglass, Steel and Wood Doors





SF20F4L doors with Ivory paint.



CODEL DOORS

Complete & Ontime DELivery!

Featuring Fiberglass, Steel and Wood entry doors.

Table of Contents

The CODEL Difference	4-5
Door Skins and Textures	6-7
New Products.....	8-9
Design Ideas.....	10-13
Contemporary Classics	
6-8 & 7-0 Contemporary Classics Collection.....	14-15
8-0 Contemporary Classics Collection.....	16-17
Decorative Contemporary Classics Collection.....	18
NEW Engraved Contemporary Classics.....	19
Craftsman	
6-8 Standard Craftsman Collection.....	20-21
6-8 & 8-0 Smooth Fiberglass Heritage Craftsman Collection.....	22-25
6-8 & 8-0 Fir-Grain Fiberglass Heritage Craftsman Collection.....	26-29
Commodity Doors	
Smooth Fiberglass Standard Collection.....	30-33
Smooth Fiberglass Flush-Glazed Collection.....	34-36
Oak Grain Textured Fiberglass Standard Collection.....	37-39
Oak Grain Textured Fiberglass Flush-Glazed Collection.....	40-41
Fir-Grain Textured Fiberglass Collection.....	42-43
NEW Premium Shaker Fiberglass Collection.....	44
"True White" Oak Grain Textured Fiberglass Collection.....	45
Rustic Fiberglass Collection.....	46-47
Steel Standard Collection.....	48-49
90-Minute "Fast-Frame" Fire Doors.....	50-51
Breezeway Collection.....	52
NEW Douglas Fir Full-Lite Wood Doors.....	53
Single-Hinged Inswing Fiberglass Patio Doors.....	54-55

Decorative Collections

NEW Chord.....	56-57	Artisan.....	74-75
NEW Rooftop.....	58-59	Adelaide.....	76-77
NEW Satin Etch	60-61	Narrows.....	78-79
Cirque.....	62-63	Modena.....	80-81
Canterbury.....	64-65	Harlow.....	82-83
Caspian.....	66-67	Floret.....	84-85
Brentwood.....	68-69	Eloquence.....	86-87
Maren.....	70-71	Sonora.....	88-89
Waterton.....	72-73	Inspire.....	90-91

Obscure Glass Options	92
NEW Specialty Glass Options.....	93
NEW Split Finish.....	94-95
WeatherGuard Frame.....	96
Adjustable Sill Pan & Jamb Options.....	97
Sills.....	98
Hinges.....	99
Hoppe MultiPoint Hardware	100
Rockwell MultiPoint & Standard Hardware.....	101-103
Contemporary Door Pulls.....	104
Codel Door Configurations.....	105
Decorative Transom Sizes & Door Handing	106
Prehung Net Unit Measurements.....	107

Style & Beauty

Traditional to Classic, Craftsman to Contemporary. Codel offers a wide selection of styles and designs to best suit your own unique design theme.



Secure

MultiPoint lock hardware options or a heavy-duty steel plate to reinforce the latch jamb against break-in force, offers more security and peace of mind.



HEAVY-DUTY Steel Plate


Reinforces jamb against break-in force.



MultiPoint Lock Hardware

(Optional)

Increases resistance against break-in force.



Efficient

Codel doors provide more insulation value than wood doors; and are more efficient than older, worn-out, drafty doors. Low-E and Argon is standard in our decorative glass doors.



Low-Emissivity (Low-E) and Argon is standard in our decorative glass for improved energy performance.

Thermal Performance values established in accordance with ETC Laboratories (NFRC) Simulation Report

	R value	U value	SHGC value
Fiberglass Full Panel door unit w/no glass	6.25	0.16	0.00
Fiberglass door unit w/1/4 Clear Glass	4.35	0.23	0.10
Fiberglass door unit w/1/2 Clear Glass	3.57	0.28	0.19
Fiberglass door unit w/Full Clear Glass	2.70	0.37	0.33
Fiberglass door unit w/1/2 Clear Mini Blind Glass	3.23	0.31	0.14
Fiberglass door unit w/Full Clear Mini Blind Glass	2.56	0.39	0.27
Fiberglass door unit w/1/2 Low-E Glass	4.17	0.24	0.16
Fiberglass door unit w/Full Low-E Glass	3.45	0.29	0.28
Fiberglass door unit w/1/2 Low-E Mini Blind Glass	3.57	0.28	0.11
Fiberglass door unit w/Full Low-E Mini Blind Glass	2.94	0.34	0.22
Fiberglass door unit w/1/4 Low-E Decorative Glass	5.00	0.20	0.07
Fiberglass door unit w/1/2 Low-E Decorative Glass	4.55	0.22	0.13
Fiberglass door unit w/3/4 Low-E Decorative Glass	4.17	0.24	0.17
Fiberglass door unit w/Full Low-E Decorative Glass	3.85	0.26	0.23
Fiberglass door unit w/Full Flush Glazed Clear Glass	2.56	0.39	0.42
Fiberglass door unit w/Full Flush Glazed Low-E Glass	3.70	0.27	0.32
Fiberglass door unit w/Full Flush Glazed Clear Mini Blind Glass	2.63	0.38	0.27
Fiberglass door unit w/Full Flush Glazed Low-E Mini Blind Glass	3.03	0.33	0.22

Quality Features

WeatherGuard Jamb

(Optional)


Composite jambs resist moisture, rotting, splitting and termites.



WaterShed Sill

(Optional)

Unique sill features are designed for better protection against leaks.



Heavy-Duty Ball Bearing Hinges

Designed to operate smoother and longer.

(Standard on Fiberglass Doors)



ALL Codel fiberglass doors come with a
LIFETIME LIMITED WARRANTY



Smooth Fiberglass **SF**



Heritage "Fir Grain" Textured Fiberglass **FG**



"Oak" Textured Fiberglass **TF**



Premium Shaker Smooth Fiberglass **SF** or Fir Grain **FG**



"True White" Oak Grain Textured Fiberglass



"Rustic" Textured Fiberglass **RF**



Steel

Unfinished



(Optional)
Pacific Paint

See page 48-49 for Steel doors.

"Teak" Textured Fiberglass

Unfinished



(Optional)
Mahogany Stain

See page 19 for Teak door.

Heritage Craftsman

Fir-Grain  or Smooth Fiberglass 

Unfinished



(Optional)
Ginger Stain

(Optional)
Hunter Paint

See pages 26-29 for
Heritage Craftsman
Collection.

Flush Cherry Engraved

Unfinished



(Optional)
Ginger Stain

(Optional)
Clove Stain

See page 19 for Flush
Cherry Engraved doors.

Vertical Grain Douglas Fir Wood

Unfinished



See page 53 for Douglas Fir Full-lite doors. Codel does not offer a factory finish on the DF21 and DF22.



Professional factory painting or staining for a beautiful finish.
(See back of brochure for additional colors.)

NEW

Premium 1 & 2-Panel Shaker Doors See page 44.



FG1PSHK
(Available in SF)



SF2PSHK
(Available in FG)



Exterior View



Interior View

NEW

**Split Finish
Coating Options**

Codel Coatings can be applied in a number of ways, from one color on the entire unit inside and out, to a split finish. (See page 94-95.)

NEW

**Decorative
Textured Glass
Options** See page 56-61.



Chord



Rooftop





Satin Etch

NEW

3-1/2" Aluminum Mullion Bar

Codel now offers 3-1/2" Aluminum Mullion Bars compatible with our Smooth Fiberglass Flush Glazed Contemporary Collection. (See page 35.)



NEW**Engraved Contemporary Classics**

See page 19.

Smooth Fiberglass Metal Bars

CON-S605



CON-S612

Flush Cherry Engraved

Shown with Ginger stain. See back cover for additional stain options.



CON-C499



CON-C498



CON-C500



CON-C501



CON-C551

NEW**Contemporary Classics**

22" x 10" glass size in 6/8 and 8/0.

See pages 15 & 17.



CON-22103



CON-22104



CON-2210480



CON-2210580

NEW**Douglas Fir Wood Door**

The first wood entry doors from CODEL. See page 53.




DF21 (4-1/2" Stile)



DF22 (5" Stile)

NEW**Smooth Fiberglass Doors**

See page 30.



SF3E



SF3PSHK 7/0

NEW**Knotty Alder Rustic**

See page 46.



RUS2PAKA



RUS2PAKASL

NEW**1-Panel Fir Grain**

See page 43.



FG1PSHK 7/0




FG1PSHK 8/0



Modern Farmhouse

A balanced blend of modern and rustic, the Modern Farmhouse style continues to be a rising trend. We paired some of our favorite door and glass options that intelligently mix modern and traditional.



*Modena
MOD-4401P
(See pages 80-81.)*



*Adelaide
FGHADE-200
(See pages 76-77.)*



*Maren
MAR-460
(See pages 70-71.)*

Contemporary

Contemporary homes reflect the architecture and design of today. They represent smart design and curb appeal. We selected several doors that we believe represent the ethos of now and can be loved forever.



*Satin Etch
CON-2236
(See pages 60-61.)*



*Chord
CHO-460
(See pages 56-57.)*



*Rooftop
CON-7642
(See pages 58-59.)*



*SF20F4L
Flush-Glazed
Contemporary
with applied
Aluminum
Mullion Bars
Satin Etch
(See page 35.)*



Craftsman


Craftsman homes emphasize hand-worked touches and beautiful detailing. Popularized at the turn of the 20th Century, it remains a popular design aesthetic. We have recommended several door and glass options that give you the beautiful detailing a craftsman home requires.



Artisan
ART-4301P
(See pages 74-75.)



Sonora
SON-4401P
(See pages 88-89.)



Narrows
NAR-460
(See pages 78-79.)



Waterton
WAT-64
(See pages 72-73.)



Adelaide
ADE-200
(See pages 76-77.)

Traditional

Traditional homes are comforting and classic. Their interiors are calm, orderly and predictable. Everything matches and is consistent. We suggest these doors for completing the look in a traditional home style and décor.



Floret
FLO-1842OV
(See pages 84-85.)



Adelaide
ADE-4401P
(See pages 76-77.)



Inspire
INS-430
(See pages 90-91.)



Eloquence
ELO-440
(See pages 86-87.)



Canterbury
CAN-460
(See pages 64-65.)

**CODEL
DOORS**



**6/8 & 7/0
Contemporary Classics
(Smooth Fiberglass Only)**

CON-2285 door with Clear glass and Proctor paint.



Daylight Glass Size 21" x 2-1/2"

CON-2235
6-8 (28 210 30 36)
7-0 (28 30 36)



Daylight Glass Size 21" x 7"

CON-2285
6-8 (28 210 30 36)
7-0 (28 30 36)



Daylight Glass Size 21" x 7"

CON-2284
6-8 (28 210 30 36)
7-0 (28 30 36)



Daylight Glass Size 6" x 63"

CON-764C
6-8 (28 210 30 36)
7-0 (28 30 36)



Daylight Glass Size 6" x 63"

CON-764S
6-8 (28 210 30 36)
7-0 (28 30 36)



Daylight Glass Size 6" x 63"

CON-764SL
(12" & 14")



Daylight Glass Size 7" x 5"

CON-865C
6-8 (28 210 30 36)
7-0 (28 30 36)



Daylight Glass Size 7" x 5"


CON-865S
6-8 (28 210 30 36)
7-0 (28 30 36)



Daylight Glass Size 7" x 5"

CON-865SL
(14")


Smooth Fiberglass




CON-22103
6-8 (28 210 30 36)
7-0 (28 30 36)



CON-22104
6-8 (28 210 30 36)
7-0 (28 30 36)



CON-22153
6-8 (28 210 30 36)
7-0 (28 30 36)



CON-221534
6-8 (28 210 30 36)
7-0 (28 30 36)




CON-7642
6-8 (28 210 30 36)
7-0 (28 30 36)



CON-884C
6-8 (28 210 30 36)
7-0 (28 30 36)



CON-884S
6-8 (28 210 30 36)
7-0 (28 30 36)



CON-884SL
(14")



CON-3223
6-8 (28 210 30 36)
7-0 (28 30 36)



CON-884D
6-8 (28 210 30 36)
7-0 (28 30 36)

Stock Glass Options



Clear/LowE




Rooftop



Satin Etch



Chord



Contemporary Low
Profile Lite Frame

Paint Options



Color samples are reproduced as close as possible, actual color may vary.

**CODEL
DOORS**

8/0
Contemporary Classics
(Smooth Fiberglass Only)




Contemporary Classics CON-2236 door
with Satin Etch glass and Carbon paint.




CON-2236
(28 30 36)



CON-2286
(28 30 36)



CON-221535
(28 30 36)



CON-22154
(28 30 36)




CON-866C
(28 30 36)



CON-866S
(28 30 36)

SF Smooth Fiberglass



CON-2285
(28 30 36)



CON-2210480
(28 30 36)




CON-2210580
(28 30 36)




CON-885C
(28 30 36)




CON-885S
(28 30 36)




CON-885SL
(14")



CON-866SL
(14")



CON-885D
(28 30 36)



**Contemporary
Low Profile
Lite Frame**

Stock Glass Options



Clear/LowE



Rooftop



Satin Etch



Chord

Paint Options



DAFFODIL



FREMONT



RAVENA



PROCTOR



COUGAR



TOMATO



BURGUNDY



HUNTER



MAGNOLIA



ARTICHOKE



NAVY



PACIFIC



BALLARD



DENIM



CARBON



IRON



FLINT



CONCRETE



ESPRESSO




TRUFFLE



TAUPE



SAND




IVORY




BRIGHT

Color samples are reproduced as close as possible, actual color may vary.


Decorative Contemporary Classics



ART-22153
6-8 (28 210 30 36)
7-0 (28 30 36)




MOD-22153
6-8 (28 210 30 36)
7-0 (28 30 36)




HAR-22153
6-8 (28 210 30 36)
7-0 (28 30 36)




ART-22154
(28 30 36)




MOD-22154
(28 30 36)




HAR-22154
(28 30 36)




ART-7642
6-8 (28 210 30 36)
7-0 (28 30 36)



MOD-7642
6-8 (28 210 30 36)
7-0 (28 30 36)



HAR-7642
6-8 (28 210 30 36)
7-0 (28 30 36)



ART-764C
6-8 (28 210 30 36)
7-0 (28 30 36)




MOD-764C
6-8 (28 210 30 36)
7-0 (28 30 36)




HAR-764C
6-8 (28 210 30 36)
7-0 (28 30 36)



ART-764S
6-8 (28 210 30 36)
7-0 (28 30 36)



MOD-764S
6-8 (28 210 30 36)
7-0 (28 30 36)



HAR-764S
6-8 (28 210 30 36)
7-0 (28 30 36)




ART-764SL
6-8 (12" & 14")
7-0 (12" & 14")



MOD-764SL
6-8 (12" & 14")
7-0 (12" & 14")



HAR-764SL
6-8 (12" & 14")
7-0 (12" & 14")



Paint Options



Color samples are reproduced as close as possible, actual color may vary.

NEW

Flush Cherry Engraved Contemporary Classics

A new offering of high-quality smooth and flush cherry fiberglass door designs complement the architectural style of many contemporary homes. These doors contain engravings or steel bars for a striking entry.



*Unfinished
Flush Cherry*

*Doors shown here are stained
with Ginger stain.
(See back cover for additional
stain options.)*



CON-C499
6-8 (30)
8-0 (30 36)



CON-C498
6-8 (14")
8-0 (14")



CON-C500
6-8 (30)
8-0 (30 36)



CON-C501
6-8 (30)



CON-C551
8-0 (30 36)

NEW

Smooth Fiberglass Metal Bar Contemporary Classics




CON-S612 door.



CON-S605
6-8 (30)



CON-S612
8-0 (30)



Smooth Fiberglass

Textured Fiberglass Teak Contemporary Classics



TFT door. Stain shown is not Codel Coatings.



TFT
6-8 (30)



*Unfinished Teak
(See back cover for Stain options.)*

**CODEL
DOORS**



6/8 Standard Craftsman

Maren MAR-200 door with Denim paint.



SF Smooth Fiberglass TF Textured Fiberglass Doors shown with optional C-21P shelf.



Craftsman Transom



■ FLF-6312 / FLF-6712 / FLF-7212

Refer to Page 106 for Transom Size Information.

■ Extended Leadtime Required.

C-21P Craftsman Shelf



(Optional)

6/8 & 8/0 Craftsman 4-Panel Collection



NO Door Shelf Available




Adelaide ADE-200 doors with Carbon paint.







SFHER-206 door with Cougar paint.

6/8 Smooth Fiberglass Heritage Craftsman



6/8 Smooth Fiberglass Heritage Craftsman

Clear I.G. w/6-Lite SDL*  SFHER-206 (28 210 30)	Wood Edge  SFHER-202 (12" & 14")	 SFHER-260 (12" & 14")	Beveled Glass, Clear I.G./Patina Caming  SFHFLS-200 (28 210 30)	Wood Edge  SFHFL-201 (12" & 14")	 SFHFL-260 (12" & 14")	Artisan-Patina Caming  SFHART-200 (28 210 30)	Wood Edge  SFHART-201 (12" & 14")	 SFHART-260 (12" & 14")
Narrows-Patina Caming  SFHNAR-200 (28 210 30)	Wood Edge  SFHNAR-201 (12" & 14")	 SFHNAR-260 (12" & 14")	Adelaide-Patina Caming  SFHADE-200 (28 210 30)	Wood Edge  SFHADE-201 (12" & 14")	 SFHADE-260 (12" & 14")	Modena-Patina Caming  SFHMOD-200 (28 210 30)	Wood Edge  SFHMOD-201 (12" & 14")	 SFHMOD-260 (12" & 14")
Marin-Patina Caming  SFHMAR-200 (28 210 30)	Wood Edge  SFHMAR-201 (12" & 14")	 SFHMAR-260 (12" & 14")	Waterton-Patina Caming  SFHWAT-200 (28 210 30)	Wood Edge  SFHWAT-201 (12" & 14")	 SFHWAT-260 (12" & 14")	Heritage Lite Kit Frame  Lite kit frame features clean, classic lines, and is reglazeable. Simulated Divided Lite  Simulated divided lite bars are 5/16" thick x 1-1/8" wide. C-21P Craftsman Shelf  (Optional)		



Color samples are reproduced as close as possible, actual color may vary.

8/0 Smooth Fiberglass Heritage Craftsman



SFHFLS-300 door with Ivory paint.




8/0 Smooth Fiberglass Heritage Craftsman




Color samples are reproduced as close as possible, actual color may vary.

6/8 Fir-Grain Textured Fiberglass Heritage Craftsman




FGHER-206 door with Nutmeg stain.


Choose one of 3 factory-applied stain colors specially formulated for our Fir-Grain Heritage Craftsman doors & sidelites.



Ginger



Nutmeg



Clove

Color samples are reproduced as close as possible, actual color may vary.



6/8 Fir-Grain Textured Fiberglass Heritage Craftsman



Heritage Lite Kit Frame



Lite kit frame features clean, classic lines, and is reglazeable.

Simulated Divided Lite



Simulated divided lite bars are 5/16" thick x 1-1/8" wide.


C-21F Craftsman Shelf




(Optional)

8/0 Fir-Grain Textured Fiberglass Heritage Craftsman


Choose one of 3 factory-applied stain colors specially formulated for our Fir-Grain Heritage Craftsman doors & sidelites.



Ginger



Nutmeg



Clove

Color samples are reproduced as close as possible, actual color may vary.

FGHART-300 door. Stain color shown is not Codel Coatings.



FGHER-300
(30)



FGHER-301
(12" & 14")



FGHER-280
(12" & 14")



FGHER-303
(30)



FGHER-301
(12" & 14")



FGHER-280
(12" & 14")



FGHER-304
(30)



FGHER-302
(12" & 14")



FGHER-280
(12" & 14")

8/0 Fir-Grain Textured Fiberglass Heritage Craftsman



Clear I.G. w/6-Lite SDL*



Wood Edge



FG

FGHER-306
(30)

FGHER-302
(12" & 14")

FGHER-280
(12" & 14")



Beveled Glass, Clear I.G. / Patina Caming



Wood Edge

FG

FGHFLS-300
(30)

FGHFLF-302
(12" & 14")



Artisan-Patina Caming



Wood Edge

FG

FGHART-300
(30)

FGHART-301
(12" & 14")



FG

FGHART-280
(12" & 14")



Narrows-Patina Caming



Wood Edge

FG

FGHAR-300
(30)

FGHAR-301
(12" & 14")



Adelaide-Patina Caming



Wood Edge

FG

FGHAD-300
(30)

FGHAD-301
(12" & 14")



FG

FGHAD-280
(12" & 14")



Modena-Patina Caming



Wood Edge

FG

FGHMOD-300
(30)

FGHMOD-301
(12" & 14")



FG

FGHMOD-280
(12" & 14")



Maren-Patina Caming



Wood Edge

FG

FGHMAR-300
(30)

FGHMAR-301
(12" & 14")



Waterton-Patina Caming



Wood Edge

FG

FGHWAT-300
(30)

FGHWAT-301
(12" & 14")



FG

FGHWAT-280
(12" & 14")

Heritage Lite Kit Frame



Lite kit frame features clean, classic lines, and is reglazeable.

Simulated Divided Lite



Simulated divided lite bars are 5/16" thick x 1-1/8" wide.

C-21F Craftsman Shelf



(Optional)

Smooth Fiberglass Collection



SF2PA door with Cougar paint.

Key Code Chart

GBG Available w/Grids between Glass

LE Available w/Low-E Glass

● Available in 7⁰ Height

▲ Available in 8⁰ Height

■ Extended Leadtime Required

◆ Available w/Panic Blocking/
Closure Reinforcement (6-8 Only)

🔥 20-Min. Fire Rated (*6-8 Only, 3-0 Max Width.)

SFF/SFF20



SF6P/SF6P20



SF4P



SF3P




SF3E



SF66



SF3PSHK



SF5PSHK



SF62



SFC



SF622



SF61



We Finish What We Start!

SF44



SF2P



SF2PA



SF2PC



SF2PL



SF93



SF9P



SF91



SF1PSHK



SF2PSHK



SF64



SF64C



SF64GBG



SF648CL




SFW



SF29



SF69



SF6V



SF61MB



SF81



■ GBG & LE

GBG, GBG & LE /
■ Fixed Grid & LE

LE

LE 2-8, 2-10, 3-0
■ LE 2-6

LE




Color samples are reproduced as close as possible, actual color may vary.

SF6SDL2P ▲28 ▲30 Simulated Divided Lite. No Matching Sidelites Available.	SF811P ▲30 LE	SF6SDL1P 30 Simulated Divided Lite. No Matching Sidelites Available.	SF4SDL2P ▲28 30 Simulated Divided Lite. No Matching Sidelites Available.	SF4SDL1P 30 Simulated Divided Lite. No Matching Sidelites Available.
SF611P 28 210 ▲30 LE	SF291P 28 210 30 GBG Only ■ GBG & LE	SF691P 28 210 30 Fixed Grid Standard GBG, GBG & LE / ■ Fixed Grid & LE	SF6V1P 28 210 30 LE Vented Glass w/screen	SF61MB1P 28 210 30 LE Raise & Lower Mini Blinds
SF611PC 28 30 LE	SF291PC 28 30 GBG Only ■ LE	SF691PC 28 30 Fixed Grid Standard GBG, GBG & LE ■ Fixed Grid & LE	SF6V1PC 28 30 LE Vented Glass w/screen	SF61MB1PC 28 30 LE Raise & Lower Mini Blinds
SF1 ●26 ●▲28 ●210 ●▲30 ●▲36 LE	SF20 20 24 ●▲26 26EZ ●▲28 210 ●▲30 30EZ ●▲*36 2/0 & 2/4 Glass size is 14x64. 3/6 Glass is 22 x 80 (8-0) (6-8 & 7-0) 3/6 Glass is 22 x 80 (8-0) LE 6-8, 7-0, 2-8 & 3-0 x 8-0 ■ LE 2-6 x 8-0, *LE Only	SF9 ●26 ●26EZ ●28 210 ●30 30EZ ●36 GBG Only 3/6 Glass is 22 x 64 ■ GBG & LE	SF10 GBG Only { 20 24 26 26EZ 28 210 30 30EZ 36 Fixed Grid Standard. 2/0 & 2/4 Glass size is 14x64. 3/6 Glass is 22 x 64. GBG, GBG & LE 2-6 thru 3-6 ■ Fixed Grid & LE ■ GBG & LE 2-0 & 2/4	SF15 ●26 26EZ ●28 210 ●30 30EZ ●36 Fixed Grid Standard. 3/6 Glass is 22 x 64. GBG, ■ Fixed Grid & LE, ■ GBG & LE



Color samples are reproduced as close as possible, actual color may vary.



**We Finish
What We Start!**



SF15 door. Paint color shown is not Codel Coatings.



Color samples are reproduced as close as possible, actual color may vary.

CODEL DOORS

Smooth Fiberglass Flush-Glazed Collection








8/0 SF20F Flush-Glazed door with Bright paint.

Key Code Chart

GBG Available w/Grids Between Glass

LE Available w/Low-E Glass

■ Available w/Extended Leadtime.

SF61F 6⁸  2 ⁸ 3 ⁰ LE	SF29F 6⁸  2 ⁸ 3 ⁰ ■ GBG & LE	SF69F 6⁸  2 ⁸ 3 ⁰ GBG & LE	SF61FMB 6⁸  2 ⁸ 3 ⁰
SF20F 6⁸  2 ⁰ 2 ⁴ 2 ⁶ 2 ⁶ EZ 2 ⁸ 2 ¹⁰ 3 ⁰ 3 ⁰ EZ LE	SF9F 6⁸  ■ 2 ⁰ ■ 2 ⁴ 2 ⁶ 2 ⁶ EZ ■ 2 ⁸ ■ 2 ¹⁰ 3 ⁰ 3 ⁰ EZ ■ GBG & LE	SF10F 6⁸  2 ⁰ 2 ⁴ 2 ⁶ 2 ⁶ EZ 2 ⁸ 2 ¹⁰ 3 ⁰ 3 ⁰ EZ ■ GBG & LE	SF20FMB 6⁸  2 ⁶ 2 ⁸ 3 ⁰ Raise & Lower MiniBlinds
SF20F 7⁰  2 ⁶ 2 ⁸ 3 ⁰ LE	SF9F 7⁰  2 ⁶ ■ 2 ⁸ 3 ⁰ ■ GBG & LE	SF10F 7⁰  2 ⁶ 2 ⁸ 3 ⁰ ■ GBG & LE	SF20FMB 7⁰  2 ⁶ 2 ⁸ 3 ⁰ Raise & Lower MiniBlinds
SF20F 8⁰  2 ⁶ 2 ⁸ 3 ⁰ 3 ⁶ LE	SF3F 8⁰  ■ 2 ⁶ ■ 2 ⁸ ■ 3 ⁰ ■ LE	SF12F 8⁰  ■ 2 ⁶ ■ 2 ⁸ ■ 3 ⁰ ■ LE	SF20FMB 8⁰  ■ 2 ⁶ ■ 2 ⁸ ■ 3 ⁰ ■ LE
SFSL1F 6⁸  12" 14" LE	SFSL20F 6⁸  12" 14" LE	SFSL20F 8⁰  14" LE	Flush-Glazed Profile vs. Standard Lite Kit Profile (Not All Doors Available in Flush Glazed.)  FG Flush-Glazed Standard

Smooth Fiberglass Flush-Glazed Contemporary Collection

Our sleek aluminum Mullion Bars compliment the clean lines of our flush-glazed smooth fiberglass door. With 5 door styles and 9 glass options (see page 36 for glass options) to choose from, you can create that unique entry you've been looking for.

NEW Mullion Bars Available in 2 Sizes



- Flush-Glazed Door Available in 6-8, 7-0, 8-0 & EZ-Fit Heights
- 3-1/2" & 4-1/2" Aluminum Mullion Bars Will Not Shrink
- Matching Sidelites Also Available
- 5/8" OA Glass ONLY



SF20F4L door. Paint color shown is not Codel Coatings.


STYLES



Color samples are reproduced as close as possible, actual color may vary.

Smooth Fiberglass


Flush-Glazed Traditional Door & Sidelite Collection



3LC door with Bright paint.

- Available in 6/8, 7/0 & 8/0 Heights
- Extended Leadtime Required
- No Finishing Available on Traditional SDL Doors

OPTIONS



GLASS OPTIONS



CODEL DOORS

Oak Grain

Textured Fiberglass Collection



TF6SDL2P door with Cinnamon stain.

Key Code Chart


GBG Available w/Grids Between Glass

LE Available w/Low-E Glass

▲ Available in 8' Height

■ Available w/Extended Leadtime.

 20-Min. Fire Rated (6-8 Only)



MEDIUM OAK



LIGHT OAK



CINNAMON




CEDAR



RED CHERRY










MAHOGANY



WALNUT

Color samples are reproduced as close as possible, actual color may vary.



Color samples are reproduced as close as possible, actual color may vary.

TF66CL



See Page 27 For Optional Craftsman Shelf

TFSDL203



Simulated Divided Lite

See Page 27 For Optional Craftsman Shelf
No Matching Sidelites Available

TFSDL206



Simulated Divided Lite

See Page 27 For Optional Craftsman Shelf
No Matching Sidelite Available

TFSL1

▲12"
▲14"



LE

TFSL3

12"
14"



Fixed Grid Standard

GBG, ■ Fixed
Grid & LE

TFSL8

▲12"
▲14"



■ LE

TFSL20

▲12"
▲14"



LE

TFSL5

12"
14"



Fixed Grid Standard

GBG, ■ Fixed
Grid & LE

TFSL1MB

12"
14"



Raise & Lower Mini Blinds

■ LE

TFSL20MB

12"
14"



Raise & Lower Mini Blinds

■ LE



TF4P door. Stain color shown is not Codel Coatings.

CODEL DOORS

Oak Grain

Textured Fiberglass Flush-Glazed Collection





6/8 TF20F Flush-Glazed door. Stain color shown is not Codel Coatings.

Key Code Chart

GBG Available w/Grids Between Glass

LE Available w/Low-E Glass


■ Available w/Extended Leadtime.



MEDIUM OAK LIGHT OAK CINNAMON CEDAR RED CHERRY MAHOGANY WALNUT

Color samples are reproduced as close as possible, actual color may vary.


Oak Grain Textured Fiberglass Flush-Glazed Traditional Door & Sidelite Collection



9LQA door. Stain color shown is not Codel Coatings.

- Available in 6/8, 7/0 & 8/0 Heights
- Extended Leadtime Required
- No Finishing Available on Traditional SDL Doors

OPTIONS



GLASS OPTIONS



CODEL DOORS

Fir Grain Textured Fiberglass Collection

(6-8 ONLY)



FG811P door. Stain color shown is not Codel Coatings.

Key Code Chart

GBG Available w/Grids Between Glass

LE Available w/Low-E Glass

● Available in 7⁰ Height

▲ Available in 8⁰ Height

■ Available w/Extended Leadtime

FG6P



28
210
30
Wood Edge

FG61



28
210
30
Wood Edge

LE

FG29



28
210
30
Wood Edge

GBG Only

■ GBG & LE

FG69



28
210
30
Wood Edge

GBG, GBG & LE

Fixed Grid Standard

FG61MB



28
210
30
Wood Edge

LE

Raise & Lower Mini Blinds

FG811P



30
Wood Edge

LE

FG6SDL1P



30
Wood Edge

Simulated Divided Lite
No Matching Sidelite Available

FG20



28
210
30
Wood Edge

LE

FG9



28
210
30
Wood Edge

GBG Only

■ GBG & LE

FG8SDL



28
210
30
Wood Edge

Simulated Divided Lite
No Matching Sidelite Available

FG10




28
210
30
Wood Edge

GBG, GBG & LE

Fixed Grid Standard

FG15




28
210
30
Wood Edge

Fixed Grid Standard

GBG, ■ GBG & LE


FG20MB



FG1PSHK




FG2PSHK



FG3PSHK



FG5PSHK



FGSL1



FGSL3GBG



FGSL1MB



FGSL8




FGSL20




Choose one of 3 factory-applied stain colors specially formulated for our Fir Grain Textured Fiberglass doors & sidelites. (Optional)



Ginger



Nutmeg



Clove



Color samples are reproduced as close as possible, actual color may vary.



FG61 door. Stain color shown is not Codel Coatings.




Premium Shaker Fiberglass Door Collection



Available with any Decorative 1/2 Lite. Ask Codel rep for more information.

Clear and Decorative glass options available. Ask Codel rep for more information.



Available with any Decorative 1/2 Lite. Ask Codel rep for more information.

Clear and Decorative glass options available. Ask Codel rep for more information.



Clear and Decorative glass options available in any of the 5 panels of the SF5PSHK or FG5PSHK. Photo above shown with Rooftop glass.

SF5PSHK door. Paint color shown is not Codel Coatings.

SF3PSHK 8/0

FG3PSHK 8/0


3/6 x 8/0 Craftsman Lite Kit Profile

Optional Clear and Decorative Glass can be inserted into our 2-panel, 3-panel & 5-panel Shaker doors. Contact your Codel sales rep. for more information.

Optional Glass



Clear Glass



Artisan Glass



Narrows Glass



FG3PSHK80 door with Narrows glass. Stain color shown is not Codel Coatings.

■ Available w/Extended Leadtime. [SF] Smooth Fiberglass [FG] Fir Grain Textured

CODEL DOORS

"True White"

Oak Grain Textured Fiberglass Collection




TW6P door.

Key Code Chart

GBG Available w/Grids Between Glass

LE Available w/Low-E Glass





Chateau CHA-439W door with CHA-160W sidelites. Stain color shown is not Codel Coatings.

6/8 Rustic Fiberglass Collection "Rustic Hardwood" Grain



RUS1PV
(30)

TF




RUS2PV
(30)

TF



RUS2PF
(30)

TF



Standard Lite Kit Frame (Not Wrought Iron)

RUSSL20
(12" & 14")


TF



Chateau - Wrought Iron Frame, Wrought Iron Grille

CHA-439W
(30)

TF



Chateau - Wrought Iron Frame, Wrought Iron Grille

CHA-160W
(12" & 14")


TF



"Knotty Alder" Grain

RUS2PAKA
(30)

KA



"Knotty Alder" Grain

RUS2PAKASL
(14")

KA

TF Textured Fiberglass KA Knotty Alder

6/8 Rustic Collection

8/0 Rustic Collection



CAN-430WVG
(30)



CAN-430W
(30)



CAN-160W
(12" & 14")



RUS1PV80
(30)



RUS2PV80
(30, 36)



RUSL280
(14")



CHA-449W
(30)



CHA-280
(14")

Decorative Options for Rustic Doors

Clavos, hinge straps and speakeasies add an authentic touch to your Rustic door.

Clavos



Codel offers clavos in 1-1/2" round or 1-1/2" square decorative black metal.

Clavos and hinge straps are shipped loose so the customer can apply them on site in the design of their choice.

(Clavos and hinge straps come installed on unfinished doors only.)

Straps & Clavos




1-1/2" Clavos and 18" hinge straps can be added to Rustic doors.

Essex Speakeasy

A Speakeasy adds a touch of old world charm. Seedy Reamy glass door can open; when closed, Speakeasy seals tightly to prevent air infiltration.

(Size: 10" wide x 12" high.)



(Exterior View)



(Interior View)

Lite Kit Frame

The galvanized frame is coated prior to powder coating for additional weather protection.

It features a distinctive iron grille that enhances the old-world styling of our Rustic Door Collection.



CODEL
DOORS

CODEL DOORS

Steel Door Collection (6/8 ONLY)



Steel C69 door with Bright paint.



STEEL DOORS

The wood-edge steel door series is a popular choice for new construction as well as remodeling projects.

The versatility and thermal advantages of a wood-edge door are combined with the durability of 24-gauge steel facings. Units are permanently held in place by the adhesion of the polyurethane core.

After assembly, doors are primed for superior corrosion resistance. Wood-edge steel doors are available with a *20-minute fire rating for all 6'8" doors up to 3'0" wide. (*Excludes doors w/lite kits.)

Thermal Performance values established in accordance with the International Energy Conservation Code (IECC) section 102.3

	R value	U value	SHGC value
Steel door unit without Glass	6.25	0.16	0.00
Steel door unit with 1/4 Clear Glass	5.00	0.20	0.08
Steel door unit with 1/2 Clear Glass	3.85	0.26	0.19
Steel door unit with Full Clear Glass	2.78	0.36	0.34
Steel door unit with 1/2 LowE Glass	4.55	0.22	0.16
Steel door unit with Full LowE Glass	3.57	0.28	0.28
Steel door unit with 1/4 Decorative Glass	5.55	0.18	0.07
Steel door unit with 1/2 Decorative Glass	4.16	0.24	0.15
Steel door unit with 3/4 Decorative Glass	4.17	0.24	0.20
Steel door unit with Full Decorative Glass	3.45	0.29	0.27


Key Code Chart

GBG Available w/Grids between Glass

LE Available w/Low-E Glass

■ Extended Leadtime Required

🔥 20-Min. Fire Rated (*6-8 Only, 3-0 Max Width.)



FAST-FRAME™


Introducing the Ultimate in Adjustable Steel Door Frames

FAST-FRAME'S advanced design adds a new dimension of flexibility and durability to Codel's steel entry door line. FAST-FRAME™ features closure kits with full 1" of adjustability to accommodate almost any variation in wall construction. This easy-to-install, user-friendly, kerfed steel door frame system is applicable to a full range of residential and commercial applications - wood or steel stud construction. FAST FRAME is engineered to meet the most stringent code requirements including structural, impact and 90-minute fire ratings.



C690 door with Bright paint.


Adjustable T-Strike
1/4" of adjustment allows for ease of field installations for proper door closure



Closure Span Adjustment Chart

Wall Sizes
4 1/2" - 5 1/2"
5 1/2" - 6 1/2"
6 1/2" - 7 1/2"
7 1/2" - 8 1/2"
8 1/2" - 9 1/2"
9 1/2" - 10 1/2"

Weatherstripping
Schlegel foam-filled
compression (QEBD500)
90 Min. Fire Rating



Prime Bright White EG
Galvanized 20-gauge steel to provide
superior corrosion resistance and an
optimal surface for painting

APPLICATIONS

●Multi-Family ●Assisted Living ●Motel/Hotel ●House to Garage ●Garage to Exterior



FIRE LABELS

90 Minute Fire Rating - up to 3'0" x 6'8".

CLOSURE TEST In a 90-minute application, the door will close and latch from 18" if the following Fast-Frame components are used:


- QEBD500 Foam-Filled Compression Weatherstripping
- Factory Sweep ● Adjustable T-Strike ● Factory Supplied Sills




STRUCTURAL PERFORMANCE AND IMPACT RATING

Design pressure ratings are available for compliance with national, state and local wind load and/or missile requirements. Product approval under the Miami-Dade BCCO NOA or Intertek Testing Services/Warnock Hersey® programs.

Door Handing



Outer Adjustable Closure
20-gauge Steel
2 uprights - 1 header



SILLS

Standard Inswing
Thermally broken - 5 5/8" width
Optional extenders for larger wall sizes
Note: Not for use on outswing applications.



Handicap (ADA)
Double Slope 4-9/16" &
6-9/16" width



Tile Face 4-1/4" and 6-1/4"



*Extended Lead Time

Bumper Outswing 4-9/16" width (ONLY)



*Extended Lead Time

Prehung Door Sizes

Single Door

Nominal Door Size	Rough Opening Size (wood stud)
Width x Height	Width x Height
2' 8" x 6' 8"	33-1/4" x 81-3/8"
3' 0" x 6' 8"	37-1/4" x 81-3/8"
3' 0" x 7' 0"	37-1/4" x 85-3/8"

-All dimensions shown are for doors with standard inswing sill.
Deduct 13/16" for bumper outswing or handicap compliant sill.

■ Extended Leadtime Required. 🔥 90-Minute Fire-Rated.

CF90



Flush

C690



6-Panel

C490



4-Panel

C290



2-Panel

*Available in 7/0

Breezeway Collection



20V

S
SF
TF

6V

S
SF
TF

Features & Benefits

- Vented lite kit complete with removable screen
- Maintenance free frame
- Ergonomic handle design for easy lite kit operation
- Reinforced latch system secures glass in open position
- Venting lite allows for maximum air flow
- One piece screen can be easily removed
- Eliminates the need for a storm door
- Tempered safety glass
- Available in Clear & Low-E glass

S Steel SF Smooth Fiberglass TF Textured Fiberglass ■ Extended Leadtime Required

**CODEL
DOORS**

NEW

Douglas Fir Full-lite Wood Door Collection

Introducing the DF21 and 22, Douglas Fir Full-Lite Exterior doors - the first wood entry doors from CODEL. The DF21 and 22 are made with Vertical Grain Douglas Fir, the highest grade Douglas Fir available. The bottom rail contains our WeatherGuard composite bottom stile, eliminating water infiltration and decay. The DF21 comes standard with 4-1/2" stiles for a contemporary style while the DF22 has 5" stiles for a traditional design. The DF21 and 22 come standard with Low-E glass, with 5 additional textured glass options for increased privacy. This door is ideal as a front door or as patio doors.



DF22 door.

Features & Benefits

- DF22 stock sizes (door size full and square)
- WeatherGuard Composite Bottom Stile standard to minimize moisture and wood decay
- DF21 available Special Order
- Non-stock sizes available Special Order
- Clear Low-E standard. (Clear only, extended lead time)
- Textured Glass options: Satin Etch, Narrow Reed, Rooftop, Chord, Rain

Available Sizes

6/8	7/0	8/0
2 ⁶	3 ⁰	2 ⁶
2 ⁸		2 ⁸
2 ¹⁰		3 ⁰
3 ⁰		



DF21 (4-1/2" Stile)



DF22 (5" Stile)





Vertical grain Douglas Fir.

Codel does not offer factory finish on these doors.

SINGLE-HINGED INSWING FIBERGLASS PATIO DOOR

The Single-Hinged Inswing Patio door provides the look of a double door, with the functionality of a single door. The “one-door-fixed/one-door-operable” configuration comes standard with a sliding screen, and is perfect for areas where interior space is limited. Available in a variety of sizes ranging from standard to retro-fit (EZ-Fit), the Single-Hinged Inswing Patio door is a great choice for new construction and remodel projects, alike.


(Outswing option also available with no sliding screen)



*Screen not available on outswings.

	Standard 6-8 Patio Sizes (SP)	EZ-Fit (Retro) Patio Sizes (EZP)																																
20F/20  Clear/Low-E 	<table><tr><th>FLUSH-GLAZED SIZES</th><th>LITE KIT SIZES</th></tr><tr><td><u>SF20FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td><td><u>SF20SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td></tr><tr><td><u>TF20FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td><td><u>TF20SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td></tr></table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<u>SF20FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>SF20SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF20FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF20SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<table><tr><th>FLUSH-GLAZED SIZES</th><th>LITE KIT SIZES</th></tr><tr><td><u>SF20FEZP</u> 5-0 x EZ 6-0 x EZ</td><td><u>SF20EZP</u> 5-0 x EZ 6-0 x EZ</td></tr><tr><td><u>TF20FEZP</u> 5-0 x EZ 6-0 x EZ</td><td><u>TF20EZP</u> 6-0 x EZ</td></tr></table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<u>SF20FEZP</u> 5-0 x EZ 6-0 x EZ	<u>SF20EZP</u> 5-0 x EZ 6-0 x EZ	<u>TF20FEZP</u> 5-0 x EZ 6-0 x EZ	<u>TF20EZP</u> 6-0 x EZ																				
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<u>SF20FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>SF20SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
<u>TF20FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF20SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<u>SF20FEZP</u> 5-0 x EZ 6-0 x EZ	<u>SF20EZP</u> 5-0 x EZ 6-0 x EZ																																	
<u>TF20FEZP</u> 5-0 x EZ 6-0 x EZ	<u>TF20EZP</u> 6-0 x EZ																																	
10F/10  10-Lite Fixed or GBG 	<table><tr><th>FLUSH-GLAZED SIZES</th><th>LITE KIT SIZES</th></tr><tr><td><u>SF10FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td><td><u>SF10SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td></tr><tr><td><u>TF10FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td><td><u>TF10SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td></tr></table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<u>SF10FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>SF10SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF10FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF10SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<table><tr><th>FLUSH-GLAZED SIZES</th><th>LITE KIT SIZES</th></tr><tr><td><u>SF10FEZP</u> 5-0 x EZ 6-0 x EZ</td><td><u>SF10EZP</u> 5-0 x EZ 6-0 x EZ</td></tr><tr><td><u>TF10FEZP</u> 5-0 x EZ 6-0 x EZ</td><td><u>TF10EZP</u> 6-0 x EZ</td></tr></table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<u>SF10FEZP</u> 5-0 x EZ 6-0 x EZ	<u>SF10EZP</u> 5-0 x EZ 6-0 x EZ	<u>TF10FEZP</u> 5-0 x EZ 6-0 x EZ	<u>TF10EZP</u> 6-0 x EZ																				
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<u>SF10FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>SF10SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
<u>TF10FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF10SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<u>SF10FEZP</u> 5-0 x EZ 6-0 x EZ	<u>SF10EZP</u> 5-0 x EZ 6-0 x EZ																																	
<u>TF10FEZP</u> 5-0 x EZ 6-0 x EZ	<u>TF10EZP</u> 6-0 x EZ																																	
9F/9  9-Lite Marginal, GBG Only 	<table><tr><th>FLUSH-GLAZED SIZES</th><th>LITE KIT SIZES</th></tr><tr><td><u>SF9FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td><td><u>SF9SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td></tr><tr><td><u>TF9FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td><td><u>TF9SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td></tr></table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<u>SF9FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>SF9SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF9FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF9SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<table><tr><th>FLUSH-GLAZED SIZES</th><th>LITE KIT SIZES</th></tr><tr><td><u>SF9FEZP</u> 5-0 x EZ 6-0 x EZ</td><td><u>SF9EZP</u> 5-0 x EZ 6-0 x EZ</td></tr><tr><td><u>TF9FEZP</u> 5-0 x EZ 6-0 x EZ</td><td><u>TF9EZP</u> 6-0 x EZ</td></tr></table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<u>SF9FEZP</u> 5-0 x EZ 6-0 x EZ	<u>SF9EZP</u> 5-0 x EZ 6-0 x EZ	<u>TF9FEZP</u> 5-0 x EZ 6-0 x EZ	<u>TF9EZP</u> 6-0 x EZ																				
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<u>SF9FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>SF9SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
<u>TF9FSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF9SP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<u>SF9FEZP</u> 5-0 x EZ 6-0 x EZ	<u>SF9EZP</u> 5-0 x EZ 6-0 x EZ																																	
<u>TF9FEZP</u> 5-0 x EZ 6-0 x EZ	<u>TF9EZP</u> 6-0 x EZ																																	
20FMB/20MB  Miniblinds 	<table><tr><th>FLUSH-GLAZED SIZES</th><th>LITE KIT SIZES</th></tr><tr><td><u>SF20FMBSP</u> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8</td><td><u>SF20MBSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td></tr><tr><td><u>TF20FMBSP</u> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8</td><td><u>TF20MBSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td></tr></table>	FLUSH-GLAZED SIZES	LITE KIT SIZES	<u>SF20FMBSP</u> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8	<u>SF20MBSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF20FMBSP</u> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8	<u>TF20MBSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<table><tr><th>LITE KIT SIZES (ONLY)</th></tr><tr><td><u>SF20MBEZP</u> 5-0 x EZ 6-0 x EZ</td></tr><tr><td><u>TF20MBEZP</u> 6-0 x EZ</td></tr></table>	LITE KIT SIZES (ONLY)	<u>SF20MBEZP</u> 5-0 x EZ 6-0 x EZ	<u>TF20MBEZP</u> 6-0 x EZ																							
FLUSH-GLAZED SIZES	LITE KIT SIZES																																	
<u>SF20FMBSP</u> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8	<u>SF20MBSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
<u>TF20FMBSP</u> 5-0 x 6-8 5-4 x 6-8 6-0 x 6-8	<u>TF20MBSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																	
LITE KIT SIZES (ONLY)																																		
<u>SF20MBEZP</u> 5-0 x EZ 6-0 x EZ																																		
<u>TF20MBEZP</u> 6-0 x EZ																																		
20V  Vented w/Screen Bottom moves up and down. Top does not. Lite Kit Available in White Only 	<table><tr><th>LITE KIT SIZES</th></tr><tr><td><u>SF20VSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td></tr><tr><td><u>TF20VSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8</td></tr></table>	LITE KIT SIZES	<u>SF20VSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<u>TF20VSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8	<table><tr><th>LITE KIT SIZES (ONLY)</th></tr><tr><td><u>SF20VEZP</u> 6-0 x EZ</td></tr><tr><td><u>TF20VEZP</u> 6-0 x EZ</td></tr></table>	LITE KIT SIZES (ONLY)	<u>SF20VEZP</u> 6-0 x EZ	<u>TF20VEZP</u> 6-0 x EZ																										
LITE KIT SIZES																																		
<u>SF20VSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																		
<u>TF20VSP</u> 5-0 x 6-8 5-4 x 6-8 5-8 x 6-8 6-0 x 6-8																																		
LITE KIT SIZES (ONLY)																																		
<u>SF20VEZP</u> 6-0 x EZ																																		
<u>TF20VEZP</u> 6-0 x EZ																																		
CODEL ENTRY SYSTEMS™	<table><tr><th></th><th>NET UNIT WIDTH</th><th>INSWING ADJ. SILL</th><th>OUTSWING BUMPER SILL</th></tr><tr><td>5-0 x 6-8</td><td>61-1/4"</td><td>81-3/4"</td><td>80-1/2"</td></tr><tr><td>5-4 x 6-8</td><td>65-1/4"</td><td>81-3/4"</td><td>80-1/2"</td></tr><tr><td>5-8 x 6-8</td><td>69-1/4"</td><td>81-3/4"</td><td>80-1/2"</td></tr><tr><td>6-0 x 6-8</td><td>73-1/4"</td><td>81-3/4"</td><td>80-1/2"</td></tr></table> *Screen not available on outswings.		NET UNIT WIDTH	INSWING ADJ. SILL	OUTSWING BUMPER SILL	5-0 x 6-8	61-1/4"	81-3/4"	80-1/2"	5-4 x 6-8	65-1/4"	81-3/4"	80-1/2"	5-8 x 6-8	69-1/4"	81-3/4"	80-1/2"	6-0 x 6-8	73-1/4"	81-3/4"	80-1/2"	<table><tr><th></th><th>NET UNIT WIDTH</th><th>INSWING ADJ. SILL</th><th>OUTSWING BUMPER SILL</th></tr><tr><td>5-0 x EZ-FIT</td><td>58-1/4"</td><td>79-1/2"</td><td>78-3/4"</td></tr><tr><td>6-0 x EZ-FIT</td><td>70-1/4"</td><td>79-1/2"</td><td>78-3/4"</td></tr></table> *Screen not available on outswings.		NET UNIT WIDTH	INSWING ADJ. SILL	OUTSWING BUMPER SILL	5-0 x EZ-FIT	58-1/4"	79-1/2"	78-3/4"	6-0 x EZ-FIT	70-1/4"	79-1/2"	78-3/4"
	NET UNIT WIDTH	INSWING ADJ. SILL	OUTSWING BUMPER SILL																															
5-0 x 6-8	61-1/4"	81-3/4"	80-1/2"																															
5-4 x 6-8	65-1/4"	81-3/4"	80-1/2"																															
5-8 x 6-8	69-1/4"	81-3/4"	80-1/2"																															
6-0 x 6-8	73-1/4"	81-3/4"	80-1/2"																															
	NET UNIT WIDTH	INSWING ADJ. SILL	OUTSWING BUMPER SILL																															
5-0 x EZ-FIT	58-1/4"	79-1/2"	78-3/4"																															
6-0 x EZ-FIT	70-1/4"	79-1/2"	78-3/4"																															

*Screen not available on outswings.



Chord SFCHO460801P & SFCHO16080 Sidelites with Ivory paint.

6/8 & 7/0 Chord Collection



CHO-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only



CHO-430
6-8 (28 210 30)
7-0 (28 30) SF Only



CHO-4301P
(28 210 30)



CHO-4301PC
(28 30)



CHO-4301P
(28 210 30)



CHO-440
(28 30)

No matching sidelite available.



CHO-4401P
(30)



CHO-460
6-8 (28 210 30)
7-0 (28 30) SF Only



CHO-200
(30)

Shown with optional C-2 IP shelf.



CHO-230
6-8 (12" & 14")
7-0 (14") SF Only




CHO-240
(12" & 14")




CHO-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Chord Collection



CHO-24080
(SF - 28 30)
(TF - 30)




CHO-44080
(SF - 28 30)
(TF - 30)




CHO-440801P
(30)



CHO-46080
(30 36)



CHO-460801P
(30)



CHO-480
(28 30 36)



CHO-24080
(12" & 14")



CHO-16080
(12" & 14")



CHO-280
(12" & 14")

Chord Transom



■ CHO-6312 / CHO-6712 / CHO-7212

■ Extended Leadtime Required.
Refer to Page 106 for Transom Size Information.



Chord SFCHO-440 door with Bright paint.

NEW



Rooftop

Standard Low-E with Argon

6/8 & 7/0 Rooftop Collection

Rooftop ROO-460 door and (2) ROO-160 sidelites with Bright paint.



ROO-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only



ROO-430
6-8 (28 210 30)
7-0 (28 30) SF Only



ROO-4301P
(28 210 30)



ROO-4301PC
(28 30)



ROO-4301PSHK
(28 210 30)



ROO-440
(28 30)

No matching sidelite available.



ROO-4401P
(30)



ROO-460
6-8 (28 210 30)
7-0 (28 30) SF Only



ROO-200
(30)

Shown with optional C21P shelf.



ROO-230
6-8 (12" & 14")
7-0 (14") SF Only




ROO-240
(12" & 14")



ROO-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Rooftop Collection



ROO-24080
(SF - 28 30)
(TF - 30)



ROO-44080
(SF - 28 30)
(TF - 30)




ROO-440801P
(30)



ROO-46080
(30 36)



ROO-460801P
(30)



ROO-480
(28 30 36)



ROO-24080
(12" & 14")



ROO-16080
(12" & 14")



ROO-280
(12" & 14")

Rooftop Transom



■ ROO-6312 / ROO-6712 / ROO-7212

■ Extended Leadtime Required.
Refer to Page 106 for Transom Size Information.



Rooftop ROO-430 door with Tomato paint.

NEW



6/8 & 7/0 Satin Etch Collection

Satin Etch TFSAT-460 door.
Stain color shown is not
Codel Coatings.



SAT-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only



SAT-430
6-8 (28 210 30)
7-0 (28 30) SF Only



SAT-4301P
(28 210 30)



SAT-4301PC
(28 30)



SAT-4301PSHK
(28 210 30)



SAT-440
(28 30)

No matching sidelite available.



SAT-4401P
(30)



SAT-460
6-8 SF & TF (26 28 210 30)
6-8 FG (28 210 30)
7-0 (26 28 30) SF Only



SAT-200
(30)

Shown with optional C-21P shelf.



SAT-230
6-8 (12" & 14")
7-0 (14") SF Only




SAT-240
(12" & 14")



SAT-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Satin Etch Collection



SAT-24080
(SF - 28 30)
(TF - 30)



SAT-44080
(SF - 28 30)
(TF - 30)




SAT-440801P
(30)



SAT-46080
(30 36)



SAT-460801P
(30)



SAT-480
(28 30 36)



SAT-24080
(12" & 14")



SAT-16080
(12" & 14")



SAT-280
(12" & 14")

Satin Etch Transom



■ SAT-6312 / SAT-6712 / SAT-7212

■ Extended Leadtime Required.
Refer to Page 106 for Transom Size Information.



Zinc Caming

Standard Low-E with Argon

6/8 & 7/0 Cirque Collection

Cirque SFCIR480 doors with Proctor paint.



CIR-440
(28 30)

SF
TF



CIR-4401P
(30)

SF
FG



CIR-240
(12" & 14")

SF
TF
FG



CIR-460
6-8 (28 210 30)
7-0 (28 30) SF Only


SF
TF
FG




CIR-160
6-8 (12" & 14")
7-0 (14") SF Only

SF
TF

8/0 Cirque Collection




CIR-24080
(SF - 28 30)
(TF - 30)



CIR-44080
(SF - 28 30)
(TF - 30)




CIR-440801P
(30)



CIR-46080
(30 36)



CIR-460801P
(30)



CIR-480
(28 30 36)



CIR-24080
(12" & 14")



CIR-16080
(12" & 14")



CIR-280
(12" & 14")



TFCAN-460 door with TFCAN-160 sidelites & TF CAN-6712 transom. Stain color shown is not Codel Coatings.



Patina Caming
Standard Low-E with Argon

6/8 & 7/0 Canterbury Collection



CAN-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only



CAN-430
6-8 (28 210 30)
7-0 (28 30) SF Only



CAN-4301P
(28 210 30)



CAN-4301PC
(28 30)



CAN-4301PSHK
(28 210 30)

No matching sidelite available.



CAN-440
(28 30)



CAN-4401P
(30)



CAN-460
6-8 (28 210 30)
7-0 (28 30) SF Only



CAN-949
(30)



CAN-230
6-8 (12" & 14")
7-0 (14") SF Only



CAN-240
(12" & 14")



CAN-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Canterbury Collection



CAN-24080
(SF - 28 30)
(TF - 30)



CAN-44080
(SF - 28 30)
(TF - 30)



CAN-440801P
(30)



CAN-46080
(30 36)



CAN-460801P
(30)



CAN-24080
(12" & 14")



CAN-16080
(12" & 14")



Canterbury Transom




■ CAN-6312 / CAN-6712 / CAN-7212

■ Extended Leadtime Required.
Refer to Page 106 for Transom Size Information.



6/8 & 7/0 Caspian Collection

Caspian SFCAS-4301P door with Cougar Paint.




CAS-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only



CAS-430
6-8 (28 210 30)
7-0 (28 30) SF Only



CAS-4301P
(28 210 30)




CAS-4301PSHK
(28 210 30)



CAS-4301PC
(28 30)


No matching sidelite available.



CAS-440
(28 30)



CAS-4401P
(30)



CAS-460
6-8 (28 210 30)
7-0 (28 30) SF Only



CAS-230
6-8 (12" & 14")
7-0 (14") SF Only



CAS-240
(12" & 14")



CAS-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Caspian Collection




CAS-24080
(SF - 28' 30")
(TF - 30")



CAS-44080
(SF - 28' 30")
(TF - 30")



CAS-440801P
(30")



CAS-46080
(30' 36")



CAS-460801P
(30")



CAS-24080
(12" & 14")



CAS-16080
(12" & 14")

Caspian Transom



■ CAS-6312 / CAS-6712 / CAS-7212

■ Extended Leadtime Required.
Refer to Page 106 for Transom Size Information.



Caspian CAS-440 door with Bright paint.



Zinc Caming

Standard Low-E with Argon

6/8 & 7/0 Brentwood Collection

Brentwood SFBRE-46080 door and (2) SFBRE-16080 sidelites with Carbon paint.



BRE-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only



BRE-430
6-8 (28 210 30)
7-0 (28 30) SF Only



BRE-4301P
(28 210 30)



BRE-4301PSHK
(28 210 30)

No matching sidelite available.



BRE-4301PC
(28 30)



BRE-440
(28 30)



BRE-4401P
(30)



BRE-460
6-8 (28 210 30)
7-0 (28 30) SF Only



BRE-200
(30)

Shown with optional C-21P shelf.




BRE-253
(30)



BRE-230
6-8 (12" & 14")
7-0 (14") SF Only



BRE-240
(12" & 14")



BRE-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Brentwood Collection



BRE-24080
(SF - 28 30)
(TF - 30)



BRE-44080
(SF - 28 30)
(TF - 30)



BRE-440801P
(30)



BRE-46080
(30 36)



BRE-460801P
(30)



BRE-258
(30)



BRE-25080
(30 36)




BRE-24080
(12" & 14")



BRE-16080
(12" & 14")




Brentwood SFBRE-430 door and
SFBRE-160 sidelite with Carbon paint.




Patina Caming
Standard Low-E with Argon

6/8 & 7/0 Maren Collection


Maren SFMAR-460 door with Carbon paint.



MAR-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only



MAR-430
6-8 (28 210 30)
7-0 (28 30) SF Only



MAR-4301P
(28 210 30)



MAR-4301PSHK
(28 210 30)




MAR-4301PC
(28 30)



MAR-440
(28 30)



MAR-4401P
(30)



MAR-460
6-8 (28 210 30)
7-0 (28 30) SF Only



MAR-200
(30)



MAR-230
6-8 (12" & 14")
7-0 (14") SF Only



MAR-240
(12" & 14")




MAR-160
6-8 (12" & 14")
7-0 (14") SF Only

No matching sidelite available.

Shown with optional C-21P shelf.

8/0 Maren Collection



MAR-24080
(SF - 28 30)
(TF - 30)




MAR-44080
(SF - 28 30)
(TF - 30)



MAR-440801P
(30)



MAR-46080
(30 36)



MAR-460801P
(30)



MAR-24080
(12" & 14")



MAR-16080
(12" & 14")

Maren Transom



■ MAR-6312 / MAR-6712 / MAR-7212

■ Extended Leadtime Required.
Refer to Page 106 for Transom Size Information.




Maren SFMAR-200 door with Bright paint.

Waterton SFWAT-46080 door
with SFWAT-16080 sidelite.
Paint color shown is not
Codel Coatings.



6/8 & 7/0 Waterton Collection



WAT-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only



WAT-430
6-8 (28 210 30)
7-0 (28 30) SF Only



WAT-4301P
(28 210 30)



WAT-4301PSHK
(28 210 30)



WAT-4301PC
(28 30)



WAT-440
(28 30)



WAT-4401P
(30)



WAT-460
6-8 (28 210 30)
7-0 (28 30) SF Only



WAT-64
(30)



WAT-200
(30)



WAT-230
6-8 (12" & 14")
7-0 (14") SF Only



WAT-240
(12" & 14")



WAT-160
6-8 (12" & 14")
7-0 (14") SF Only

No matching sidelite available.

Shown with optional C-21P shelf.

8/0 Waterton Collection



WAT-24080
(SF - 28" 30")
(TF - 30")



WAT-44080
(SF - 28" 30")
(TF - 30")



WAT-440801P
(30")



WAT-46080
(30" 36")



WAT-460801P
(30")



WAT-480
(28" 30" 36")



WAT-24080
(12" & 14")



WAT-16080
(12" & 14")



WAT-280
(12" & 14")

Waterton Transom



■ WAT-6312 / WAT-6712 / WAT-7212

■ Extended Leadtime Required.
Refer to Page 106 for Transom Size Information.



Waterton WAT-460 door. Paint color shown is not Codel Coatings.

Artisan SFART-46080 doors
and (2) SFART-16080 sidelites
with Carbon paint.

6/8 & 7/0 Artisan Collection



Patina Caming
Standard Low-E with Argon



ART-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only



ART-430
6-8 (28 210 30)
7-0 (28 30) SF Only



ART-4301P
(28 210 30)



ART-4301PSHK
(28 210 30)



ART-4301PC
(28 30)




ART-440
(28 30)

No matching sidelite available.



ART-4401P
(30)



ART-460
6-8 (28 210 30)
7-0 (28 30) SF Only



ART-200
(30)

Shown with optional C-21P shelf.



ART-230
6-8 (12" & 14")
7-0 (14") SF Only



ART-240
(12" & 14")



ART-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Artisan Collection



ART-24080
(SF - 28 30)
(TF - 30)



ART-44080
(SF - 28 30)
(TF - 30)




ART-440801P
(30)



ART-46080
(30 36)



ART-460801P
(30)



ART-480
(28 30 36)



ART-24080
(12" & 14")




ART-16080
(12" & 14")



ART-280
(12" & 14")

Artisan Transom



■ ART-6312 / ART-6712 / ART-4212 / ART-7212

■ Extended Leadtime Required.

Refer to Page 106 for Transom Size Information.



Artisan SFART-460 doors. Paint color shown is not Codel Coatings.



Patina Caming

Standard Low-E with Argon

6/8 & 7/0 Adelaide Collection

*Adelaide SFADE-440 door.
Paint color shown is not
Codel Coatings.*




ADE-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only




ADE-430
6-8 (28 210 30)
7-0 (28 30) SF Only



ADE-4301P
(28 210 30)



ADE-4301PSHK
(28 210 30)




ADE-4301PC
(28 30)




ADE-440
(28 30)

No matching sidelite available.



ADE-4401P
(30)



ADE-460
6-8 (28 210 30)
7-0 (28 30) SF Only



ADE-200
(30)

Shown with optional C-21P shelf.



ADE-230
6-8 (12" & 14")
7-0 (14") SF Only




ADE-240
(12" & 14")




ADE-160
6-8 (12" & 14")
7-0 (14") SF Only


8/0 Adelaide Collection




ADE-24080
(SF - 28 30)
(TF - 30)




ADE-44080
(SF - 28 30)
(TF - 30)




ADE-440801P
(30)



ADE-46080
(30 36)



ADE-460801P
(30)



ADE-480
(28 30 36)



ADE-24080
(12" & 14")



ADE-16080
(12" & 14")



ADE-280
(12" & 14")

Adelaide Transom



■ ADE-6312 / ADE-6712 / ADE-7212

■ Extended Leadtime Required.
Refer to Page 106 for Transom Size Information.




Adelaide TFADE-24080 doors. Stain color shown is not Codel Coatings.



6/8 & 7/0 Narrows Collection

Narrows SFNAR-440 doors with Bright paint.



NAR-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only



NAR-430
6-8 (28 210 30)
7-0 (28 30) SF Only



NAR-4301P
(28 210 30)




NAR-4301PSHK
(28 210 30)

No matching sidelite available.




NAR-4301PC
(28 30)



NAR-440
(28 30)



NAR-4401P
(30)



NAR-460
6-8 (28 210 30)
7-0 (28 30) SF Only




NAR-200
(30)


Shown with optional C-21P shelf.



NAR-230
6-8 (12" & 14")
7-0 (14") SF Only



NAR-240
(12" & 14")



NAR-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Narrows Collection




NAR-24080
(SF - 28" 30")
(TF - 30")



NAR-44080
(SF - 28" 30")
(TF - 30")



NAR-440801P
(30")



NAR-46080
(30" 36")



NAR-460801P
(30")



NAR-24080
(12" & 14")



NAR-16080
(12" & 14")




Modena TFMOD-460 door and TFMOD-160 Sidelite with Espresso paint.



Patina Caming
Standard Low-E with Argon

6/8 & 7/0 Modena Collection




MOD-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only



MOD-430
6-8 (28 210 30)
7-0 (28 30) SF Only



MOD-4301P
(28 210 30)



MOD-4301PSHK
(28 210 30)


No matching sidelite available.



MOD-4301PC
(28 30)



MOD-440
(28 30)



MOD-4401P
(30)



MOD-460
6-8 (28 210 30)
7-0 (28 30) SF Only



MOD-200
(30)

Shown with optional C-21P shelf.



MOD-230
6-8 (12" & 14")
7-0 (14") SF Only




MOD-240
(12" & 14")




MOD-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Modena Collection




MOD-24080
(SF - 28 30)
(TF - 30)




MOD-44080
(SF - 28 30)
(TF - 30)




MOD-440801P
(30)



MOD-46080
(30 36)



MOD-460801P
(30)



MOD-480
(28 30 36)



MOD-24080
(12" & 14")



MOD-16080
(12" & 14")




MOD-280
(12" & 14")

Modena Transom




■ MOD-6312 / MOD-6712 / MOD-7212

■ Extended Leadtime Required.
Refer to Page 106 for Transom Size Information.




6/8 & 7/0 Harlow Collection

Harlow FG HAR-4401P door with (2) FG HAR-240 sidelites. Stain color shown is not Codel Coatings.



HAR-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only



HAR-430
6-8 (28 210 30)
7-0 (28 30) SF Only



HAR-4301P
(28 210 30)



HAR-4301PSHK
(28 210 30)



HAR-4301PC
(28 30)



HAR-440
(28 30)



HAR-4401P
(30)



HAR-460
6-8 (28 210 30)
7-0 (28 30) SF Only



HAR-200
(30)



HAR-230
6-8 (12" & 14")
7-0 (14") SF Only




HAR-240
(12" & 14")



HAR-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Harlow Collection



HAR-24080
(SF - 28 30)
(TF - 30)



HAR-44080
(SF - 28 30)
(TF - 30)




HAR-440801P
(30)



HAR-46080
(30 36)



HAR-460801P
(30)



HAR-480
(28 30 36)



HAR-24080
(12" & 14")



HAR-16080
(12" & 14")



HAR-280
(12" & 14")

Harlow Transom



■ HAR-6312 / HAR-6712 / HAR-7212

■ Extended Leadtime Required.
Refer to Page 106 for Transom Size Information.



Harlow SFHAR-430 doors with Bright paint.



-  Zinc Caming
 -  Brass Caming
- Standard Low-E with Argon

6/8 & 7/0 Floret Collection

Floret SFFLO-24080 door with Medium Oak stain.



FLO-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only



FLO-430
6-8 (28 210 30)
7-0 (28 30) SF Only



FLO-4301P
(28 210 30)



FLO-4301PC
(28 30)



FLO-4301PSHK
(28 210 30)

No matching sidelite available.



FLO-440
(28 30)



FLO-4401P
(30)



FLO-1842OV
(30)




FLO-230
6-8 (12" & 14"
7-0 (14") SF Only



FLO-240
(12" & 14")

8/0 Floret Collection



FLO-24080
(SF - 28 30)
(TF - 30)



FLO-44080
(SF - 28 30)
(TF - 30)



FLO-440801P
(30)



FLO-24080
(12" & 14")

Floret Transom




■ FLO-6312 / FLO-6712 / FLO-7212

■ Extended Leadtime Required.
Refer to Page 106 for Transom Size Information.



Floret TFFLO-430 door and (2) TFFLO-230
sidelites with Medium Oak stain.

Eloquence SFELO-44080 doors with Carbon paint.



Patina Caming
Standard Low-E with Argon


6/8 & 7/0 Eloquence Collection



ELO-400
(SF 28 210 30)
(TF 26 28 210 30)




ELO-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only




ELO-430
6-8 (28 210 30)
7-0 (28 30) SF Only



ELO-4301P
(28 210 30)



ELO-4301PSHK
(28 210 30)



ELO-4301PC
(28 30)


No matching sidelite available.



ELO-440
(28 30)




ELO-4401P
(30)



ELO-460
6-8 (28 210 30)
7-0 (28 30) SF Only



ELO-230
6-8 (12" & 14")
7-0 (14") SF Only



ELO-240
(12" & 14")



ELO-160
6-8 (12" & 14")
7-0 (14") SF Only

SF Smooth Fiberglass TF Textured Fiberglass FG Fir Grain Textured Fiberglass


8/0 Eloquence Collection




ELO-24080
(SF - 28" 30")
(TF - 30")




ELO-44080
(SF - 28" 30")
(TF - 30")



ELO-440801P
(30")



ELO-46080
(30" 36")



ELO-460801P
(30")



ELO-24080
(12" & 14")



ELO-16080
(12" & 14")



Eloquence ELO-46080 door and (2) ELO-16080 sidelites and Burgundy paint.



Patina Caming
Standard Low-E with Argon

6/8 & 7/0 Sonora Collection

Sonora SFSON-44080 door
with Truffle paint.



SON-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only



SON-430
6-8 (28 210 30)
7-0 (28 30) SF Only



SON-4301P
(28 210 30)



SON-4301PSHK
(28 210 30)

No matching sidelite available.



SON-4301PC
(28 30)



SON-440
(28 30)



SON-4401P
(30)



SON-460
6-8 (28 210 30)
7-0 (28 30) SF Only



SON-230
6-8 (12" & 14")
7-0 (14") SF Only



SON-240
(12" & 14")



SON-160
6-8 (12" & 14")
7-0 (14") SF Only

8/0 Sonora Collection



SON-24080
(SF - 28 30)
(TF - 30)



SON-44080
(SF - 28 30)
(TF - 30)



SON-440801P
(30)



SON-46080
(30 36)




SON-460801P
(30)



SON-24080
(12" & 14")



SON-16080
(12" & 14")



Sonora SON-46080 doors with Bright paint.



Zinc Caming
Standard Low-E with Argon

6/8 & 7/0 Inspire Collection

Inspire SFINS-440 door and (2) SFINS-240 sidelites with Tomato paint.



INS-400
(SF 28 210 30)
(TF 26 28 210 30)



INS-230
6-8 (26 28 210 30)
7-0 (28 30) SF Only



INS-430
6-8 (28 210 30)
7-0 (28 30) SF Only



INS-4301PSHK
(28 210 30)

No matching sidelite available.



INS-4301P
(28 210 30)



INS-4301PC
(28 30)



INS-440
(28 30)




INS-4401P
(30)



INS-230
6-8 (12" & 14")
7-0 (14") SF Only




INS-240
(12" & 14")



Inspire SFINS-400 door and (2) SFINS-230 sidelites with Carbon paint.

8/0 Inspire Collection



INS-24080
(SF - 28" 30")
(TF - 30")



INS-44080
(SF - 28" 30")
(TF - 30")



INS-440801P
(30")



INS-24080
(12" & 14")



Inspire SFINS-230 doors with Bright paint.

CODEL
DOORS

Obscure Glass Options

Codel offers a variety of obscure glass options. Obscurity levels range from, glass that lets in plenty of light and definable detail, to obscurity options offering various degrees of privacy.



Clear or Low-E



Chord



Monumental



Narrow Reed



Pinhead



Rain



Rooftop



Sable



Satin Etch



Screen Dot



Travertine



White Laminate

Most Obscure Glass Options are not available in stock and require longer extended leadtimes. Please check with Codel Representative for availability.

Specialty Glass Options

Codel offers additional options in Specialty glass. These include sound-proofing glass for noise reduction, thicker glass for added strength, reduction in heat loss, and more Low-E options. Contact Codel for more information.



SF64/TF64



SF648



SF3P



SF61



SF81



SF20



SFSL1



SFSL8



SFSL20



More Choices in Specialty Glass

- Reduce noise with sound-proofing glass
- Thicker glass options for added strength and less heat loss
- Additional Low-E glass options to meet higher U-Values
- GBG with color
- Custom Textures
- Custom Decorative Glass

Contact your Codel Rep.
for more information.




Inswing Split Finish (Optional)

Want one color on the outside of your door to complement your home's exterior and a different color on the inside to match your interior? Codel Doors offers 24 paint and 7 stain colors (see back cover) to customize your door for just the right look. Ask your Codel rep. for information.


Inswing (Exterior View)



Inswing Unit - Split Finish



Color is split at center groove of the proud edge.



Color samples are reproduced as close as possible, actual color may vary.


Outswing Split Finish (Optional)

Want one color on the outside of your door to complement your home's exterior and a different color on the inside to match your interior? Codel Doors offers 24 paint and 7 stain colors (see back cover) to customize your door for just the right look. Ask your Codel rep. for information.


Outswing (Exterior View)



Outswing Unit - Split Finish





(Inside of Home)



(Outside of Home)

Color is split at center groove of the proud edge.



Color samples are reproduced as close as possible, actual color may vary.

WeatherGuard

COMPOSITE FRAME

CODEL
DOORS



SF20F door with Bright paint.


Codel's WeatherGuard Composite Frame System is an innovative alternative to traditional wood jambs. This poly-fiber doorframe system combines all the strength and convenience of wood with enhanced properties that make it moisture, rot and insect resistant. This unique formulation guarantees that the WeatherGuard frame will not absorb or wick moisture and resists warping, splintering and rotting.

The WeatherGuard product line is available in two varieties. White Cap is a smooth, semi-gloss white that can be painted or left unfinished to compliment the Codel Smooth Fiberglass door. Textured has an embossed grain that can be painted or stained to compliment the Codel Textured Fiberglass door. The advanced WeatherGuard system can be installed the same way as traditional wood jambs.

Exclusive to WeatherGuard is our patented "Seams-Rite" spline that enables the brickmould to be applied to the jamb without using nails. Besides eliminating nail holes, "Seams-Rite" ensures a continuous water barrier.



(Vinyl nailing flange is optional.)



Features & Benefits


- Poly-fiber composite jamb system is an attractive, affordable, and low maintenance option to traditional wood
- Closed cellular structure is a unique formulation that ensures product will not warp, split or absorb moisture
- Greater screw holding power than wood
- Installs the same as traditional wood jambs
- Available in smooth semi-gloss white cap and stainable textured embossed
- Matching mullposts offering sidelite and transom capabilities
- Installation and finishing recommendation label applied to every frame
- Limited lifetime warranty

Adjustable Sill Pan

The Adjustable Sill Pan is a durable, PVC plastic unit that helps you protect your sill and entry door from water damage.

- Sloped weep areas located beneath the Jamb-to-sill joint that direct moisture away from areas that could be damaged
- Durable weather-resistant material impervious to rust, corrosion, galvanic corrosion, electrolysis and corrosive coastal areas
- Depths to accommodate most door applications in either 2 x 4 or 2 x 6 construction
- Easy installation with the multiple piece design

**Available in
4-9/16" & 6-9/16"**



Jamb Options

Available sizes: 4-9/16", 5-1/4", 6-9/16", and 7-1/4".




White Cap Composite Jamb



Textured Tan Composite Jamb


Primed Finger Solid Wood Joint

Our domestic Ponderosa pine door frames are treated with blue acrylic end sealer to prevent wicking. Sealer is applied to bottom of jamb.



Inswing Water-Shed Sill

- Built-in weep system
- All composite for durability
- Special bumper sweep compensates for gaps; no adjustment needed
- Water-tight butyl end seal gasket



Inswing Adjustable Sill

- High performance Imperial seal technology
- All composite for durability
- Adjustable rail ensuring a tight fit
- Water-tight butyl end seal gasket



Inswing Fixed Sill

- Thermal efficient composite cap
- Durable economic design
- Water-tight butyl end seal gasket



Outswing Bumper Sill

- All-aluminum durability
- High performance outswing design
- Water-tight butyl end seal gasket



Outswing Oak Bumper Sill

- Stain grade hardwood interior
- High performance outswing design
- Water-tight butyl end seal gasket



LowPro Sill (Inswing or Outswing)

- ADA compliant
- Durable all-aluminum design
- Not recommended for high weather exposure



All Sills Available in:



Mill Finish



Bronze Finish

High Performance Commercial Grade Ball Bearing Hinges are **Standard** on Codel Fiberglass Doors

Strength and Durability:

Heavy-duty commercial strength hinge, that is much thicker than the standard residential hinge found on most residential fiberglass doors in the industry. This stronger hinge keeps your door true and fit in the opening, and reduces the risk of sagging.

Smooth Operation:

Our heavy-duty hinges come standard with ball bearings, giving your entry door ease of opening and years of quiet operation.

Appearance and Security:

With a thickness of 3.3mm, and ¼ radius, these hinges are not only aesthetically pleasing, but are more secure than the traditional residential hinge. These hinges are sealed on the top and bottom, so pin is not removable.



US15 Satin Nickel
(Non-Ferrous or *Self-Closing Options Also Available)



US26 Bright Chrome
(*Self-Closing Option Also Available)



US26D Brushed Chrome
(*Self-Closing Option Also Available)



US3 Brass
(Non-Ferrous or *Self-Closing Options Also Available)



US1D Black
(Non-Ferrous or *Self-Closing Options Also Available)



US10B Bronze
(Non-Ferrous or *Self-Closing Options Also Available)



US5 Antique Brass
(■ Self-Closing Option Available as Special Order)



US32D Stainless Steel
(Non-Ferrous)

*Self-Closing Hinges **ARE NOT** Ball Bearing.

■ Extended Leadtime Required.



Codel recommends non-ferrous hinges on all outswing doors as steel based hinges may develop rust if they are exposed to moisture.

Steel Door Standard Hinge



Our steel doors come with a standard weight hinge, available in the same color choice options noted above.



MultiPoint Locking Systems

Codel Doors offers MultiPoint Locking Systems of the finest design, most precise machining and highest quality materials providing homeowners with a secure locking system stronger than traditional deadbolt locks.



Screw Support

Prevents flexing or bending of the gear for life-time performance and smoother operation.



Mishandling Device

Prevents multiple locking points from accidentally firing and potentially damaging door trim. Fully field reversible.



Solid Stainless Steel Deadbolt

Highly corrosion resistant and stronger than traditional deadbolts.




Manual Tongue (Top & Bottom)

While offering security in the locked position, the manual tongue engages into the jamb or mull post and retracts when opened, giving a smooth, clean appearance.



Flush Bolts (Top & Bottom)

(Optional) MultiPoint is available for the inactive door. The flush-bolts operate by the handle on the in-active panel, sending the flush-bolts simultaneously into the head and sill, offering a smooth and easy operation and securing your entry door.



(Deadbolt not shown.)

MultiPoint Hardware Options & Finishes

Features and Benefits

- 300 Series Stainless Steel-Highly corrosion resistant
- Self Lubricating Parts - Last longer by eliminating the need to lubricate locks
- Helps prevent doors from bowing and adds extra security at the same time
- Schlage Keyway

- Only available on Fiberglass door units.
- Not available on cut-down units.



MultiPoint - Grip Series

TONGUE LATCH SYSTEM



Finishes



Satin Nickel



Bronze

Multiple locking points maintain door panel integrity, prevent door warpage, improve weather resistance and increase security.



Consumer friendly with 1/4 turn deadbolt lock indicator.

Savoy



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Windsor



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Lumina



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Grip & Lever Series Features

- Available for 6/8, 7/0 and 8/0 Doors
- Available in Satin Nickel and Oil Rubbed Bronze
- Conventional Deadbolt and Lever Handle Spacing at 5-1/2"
- Adjustable Strike Plates
- Dummy Sets Available for Double Door Units
- Deadbolts & Levers Meet ANSI Grade 2 Standards
- Schlage Keyway

Only Available on Fiberglass Door Units.

CODEL
DOORS



MultiPoint - Lever Series

TRIPLE LATCH SYSTEM



3 latches automatically engage when door closes to prevent door warpage and increase security.



Consumer friendly with 1/4 turn deadbolt lock indicator.



Adjustable strikes for optimum operation.

Extended strike for outswing units.



Finishes



Satin Nickel

Bronze



Bright Chrome

(Available on Times Verona ONLY)

Only Available on Fiberglass Door Units.

Classique



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Classique Monaco



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Classique Verona



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Times



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Times Verona



Available in Satin Nickel, Oil Rubbed Bronze & Bright Chrome finishes.

Dahli



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Dahli Verona



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Grip & Lever Series Features

- Available for 6/8, 7/0 and 8/0 Doors
- Conventional Deadbolt and Lever Handle Spacing at 5-1/2"
- Adjustable Strike Plates
- Dummy Sets Available for Double Door Units
- Deadbolts & Levers Meet ANSI Grade 2 Standards
- Schlage Keyway



Standard Grip & Lever Handle Hardware

(Not MultiPoint)

Zenia (Grip)



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Venice (Lever)



Available in Satin Nickel & Oil Rubbed Bronze finishes.

Venice Verona (Lever)



Available in Satin Nickel, Oil Rubbed Bronze & Bright Chrome finishes.

Chelsea (Lever)



Available in Satin Nickel, Oil Rubbed Bronze & Brass finishes.

Finishes



Satin Nickel



Bronze



Bright Chrome

(Available on Venice Verona ONLY)



Brass

(Available on Chelsea ONLY)

Standard Grip & Lever Series Features

- Available for 6/8, 7/0 and 8/0 Doors
- Conventional Deadbolt and Lever Handle Spacing at 5-1/2"
- 2-3/8" Backset x 2-1/8" Face Bore
- Deadbolts & Levers Meet ANSI Grade 2 Standards
- Limited Lifetime Warranty
- Schlage Keyway



CODEL
DOORS

Contemporary Door Pulls



Roller Catch

Two heavy-duty roller catches located near the top and bottom of the door ensure a secure closure. Available in Satin Nickel and Oil Rubbed Bronze.



Only Available on Fiberglass Door Units.



**24"
Round
Door
Pull**

**60"
Round
Door
Pull**

Finishes



Satin Nickel



Black

60" Round Door Pull only available in 3-0 lip lite configuration.

**CODEL
DOORS**

CODEL Door Configurations



Single Prehung

Single Prehung with Sidelite on the Strike Side
(This is Codel's STANDARD)

Also available with Sidelite on hinge side.

*Single Prehung with "Direct-Set"
Style Sidelite on the Strike Side
(Available with Smooth or Oak Grain
Textured Fiberglass Panel ONLY)

Also available with Sidelite on hinge side.

Single Prehung with
Two Sidelites

Also available with Direct Sidelite option.



Double Prehung

**Double Prehung with
Two Sidelites

Also available with Direct Sidelite option.

Single Prehung with
Transom AboveSingle Prehung with
Sidelite on the Strike Side
and Transom Above

Also available with Direct Sidelite option.

Single Prehung with
Sidelite on the Hinge Side
and Transom Above

Also available with Direct Sidelite option.

Single Prehung with Two Sidelites
and Transom Above

Also available with Direct Sidelite option.

**Double Prehung with
Transom Above**Double Prehung with Two Sidelites
and Transom Above

Also available with Direct Sidelite option.

***Patio Unit (Hinged off the Mull Post)
R-H Active / L-H Swing***Patio Unit (Hinged off the Mull Post)
L-H Active / R-H Swing***Patio Unit (Hinged off the Jamb)
R-H Active / R-H Swing***Patio Unit (Hinged off the Jamb)
L-H Active / L-H Swing

*Single Prehung with "Direct-Set" Style Sidelite: Available 6/8 and 7/0 Only. 8/0 Direct sidelite available on hinge side.

** Double Prehung Unit: (aka "Pair of Doors" and "French Doors") Both Doors Open - One active door and one inactive (passive) door. The inactive door has an astragal with flush bolts attached to it to keep it stationary when not in use.

*** Patio Unit: (aka "Atrium Unit") Only ONE door opens - One operable door and one fixed door - The fixed door will never open.

Decorative Transom Sizes & Door Handing

DECORATIVE TRANSOM SIZES

SERIES	FOR USE OVER	ACTUAL GLASS SIZE	*NET UNIT SIZE
6312	Use Over 3-0 Door w/2 Ea. 12" Sidelites	62-3/4" x 12"	64-3/8" x 95-3/8"
6712	Use Over 3-0 Door w/2 Ea. 14" Sidelites	66-3/4" x 12"	68-3/8" x 95-3/8"
7212	Use Over 6-0 DBL. Door (NO Sidelites)	72-1/4" x 12"	73-7/8" x 95-3/8"


**Net Unit Height includes a 6-8 INSWING prehung with standard fixed or adjustable sill - For OUTSWING Unit, deduct 1-1/4" from Net Unit Height.*

For 7-0 prehung, add 4" to Net Unit Height.


For 8-0 prehung, add 16" to Net Unit Height.

DOOR HANDING


IN SWING




OUT SWING




SINGLE DOORS




SINGLE DOORS



DOUBLE DOORS



DOUBLE DOORS



*See page 54 for Patio Door Handing.

Prehung Net Unit Measurements

Add 5/8" to any Net Unit Width and 3/8" to any Net Unit Height **IF IT IS AN OUTSWING** with the NAILING FLANGE.

NET UNIT WIDTHS*							NET UNIT HEIGHTS		
DOOR WIDTH	NET SLAB SIZE	NET UNIT WIDTH	PLUS 1 EACH 12" SIDELITE	PLUS 2 EACH 12" SIDELITES	PLUS 1 EACH 14" SIDELITE	PLUS 2 EACH 14" SIDELITES	FIXED OR ADJ INSWING SILL	BUMPER OUTSWING SILL	ADA LOW-PRO IN/OUT SWING SILL
2-0 x 6-8	23-3/4" x 79"	25-1/2"	38-7/8"	52-1/4"	40-7/8"	56-1/4"	81-3/4"	80-1/2"	81"
2-4 x 6-8	27-3/4" x 79"	29-1/2"	42-7/8"	56-1/4"	44-7/8"	60-1/4"	81-3/4"	80-1/2"	81"
2-6 x 6-8	29-3/4" x 79"	31-1/2"	44-7/8"	58-1/4"	46-7/8"	62-1/4"	81-3/4"	80-1/2"	81"
2-8 x 6-8	31-3/4" x 79"	33-1/2"	46-7/8"	60-1/4"	48-7/8"	64-1/4"	81-3/4"	80-1/2"	81"
2-10 x 6-8	33-3/4" x 79"	35-1/2"	48-7/8"	62-1/4"	50-7/8"	66-1/4"	81-3/4"	80-1/2"	81"
3-0 x 6-8	35-3/4" x 79"	37-1/2"	50-7/8"	64-1/4"	52-7/8"	68-1/4"	81-3/4"	80-1/2"	81"
3-6 x 6-8	41-3/4" x 79"	43-1/2"	56-7/8"	70-1/4"	58-7/8"	74-1/4"	81-3/4"	80-1/2"	81"
4-0 x 6-8	47-3/4" x 79"	49-1/2"	62-7/8"	76-1/4"	64-7/8"	80-1/4"	81-3/4"	80-1/2"	81"
4-0 x 6-8 DBL	--	50"	63-3/8"	76-3/4"	65-3/8"	80-3/4"	81-3/4"	80-1/2"	81"
4-8 x 6-8 DBL	--	58"	71-3/8"	84-3/4"	73-3/8"	88-3/4"	81-3/4"	80-1/2"	81"
5-0 x 6-8 DBL	--	62"	75-3/8"	88-3/4"	77-3/8"	92-3/4"	81-3/4"	80-1/2"	81"
5-4 x 6-8 DBL	--	66"	79-3/8"	92-3/4"	81-3/8"	96-3/4"	81-3/4"	80-1/2"	81"
5-8 x 6-8 DBL	--	70"	83-3/8"	96-3/4"	85-3/8"	100-3/4"	81-3/4"	80-1/2"	81"
6-0 x 6-8 DBL	--	74"	87-3/8"	100-3/4"	89-3/8"	104-3/4"	81-3/4"	80-1/2"	81"
7-0 x 6-8 DBL	--	86"	99-3/8"	112-3/4"	101-3/8"	116-3/4"	81-3/4"	80-1/2"	81"
8-0 x 6-8 DBL	--	98"	111-3/8"	124-3/4"	113-3/8"	128-3/4"	81-3/4"	80-1/2"	81"
2-6 x 7-0	29-3/4" x 83"	31-1/2"	44-7/8"	58-1/4"	46-7/8"	62-1/4"	85-3/4"	84-1/2"	85"
2-8 x 7-0	31-3/4" x 83"	33-1/2"	46-7/8"	60-1/4"	48-7/8"	64-1/4"	85-3/4"	84-1/2"	85"
3-0 x 7-0	35-3/4" x 83"	37-1/2"	50-7/8"	64-1/4"	52-7/8"	68-1/4"	85-3/4"	84-1/2"	85"
5-0 x 7-0 DBL	--	62"	75-3/8"	88-3/4"	77-3/8"	92-3/4"	85-3/4"	84-1/2"	85"
5-4 x 7-0 DBL	--	66"	79-3/8"	92-3/4"	81-3/8"	96-3/4"	85-3/4"	84-1/2"	85"
6-0 x 7-0 DBL	--	74"	87-3/8"	100-3/4"	89-3/8"	104-3/4"	85-3/4"	84-1/2"	85"
2-6 x 8-0	29-3/4" x 95"	31-1/2"	44-7/8"	58-1/4"	46-7/8"	62-1/4"	97-3/4"	96-1/2"	97"
2-8 x 8-0	31-3/4" x 95"	33-1/2"	46-7/8"	60-1/4"	48-7/8"	64-1/4"	97-3/4"	96-1/2"	97"
3-0 x 8-0	35-3/4" x 95"	37-1/2"	50-7/8"	64-1/4"	52-7/8"	68-1/4"	97-3/4"	96-1/2"	97"
3-6 x 8-0	41-3/4" x 95"	43-1/2"	56-7/8"	70-1/4"	58-7/8"	74-1/4"	97-3/4"	96-1/2"	97"
5-0 x 8-0 DBL	--	62"	75-3/8"	88-3/4"	77-3/8"	92-3/4"	97-3/4"	96-1/2"	97"
5-4 X 8-0 DBL	--	66"	79-3/8"	92-3/4"	81-3/8"	96-3/4"	97-3/4"	96-1/2"	97"
6-0 x 8-0 DBL	--	74"	87-3/8"	100-3/4"	89-3/8"	104-3/4"	97-3/4"	96-1/2"	97"
7-0 x 8-0 DBL	--	86"	99-3/8"	112-3/4"	101-3/8"	116-3/4"	97-3/4"	96-1/2"	97"
2-6 x EZ FIT	28-1/4" x 76-3/4"	30"	N/A	N/A	N/A	N/A	79-1/2"	78-1/4"	78-3/4"
3-0 x EZ FIT	34-1/4" x 76-3/4"	36"	N/A	N/A	N/A	N/A	79-1/2"	78-1/4"	78-3/4"
5-0 x EZ DBL	--	58-1/4"	N/A	N/A	N/A	N/A	79-1/2"	78-1/4"	78-3/4"
6-0 x EZ DBL	--	70-1/4"	N/A	N/A	N/A	N/A	79-1/2"	78-1/4"	78-3/4"

*For Douglas Fir Wood Doors add 1" to Net Unit Heights.


Paint Colors



Stain Colors




Fir Grain Stain Colors



Available on Fir-Grain Doors (See pages 26-29, & 42-43).

Flush Cherry Wood Stain Colors



Available on Flush Cherry Doors Only (See page 19).

Why doesn't the color on my product look exactly like it does in the catalog or website?

Due to the limitations of photography, there is no guarantee that your product's colors will have the same appearance as they do in print or online. We always recommend you see an actual sample before deciding on a color choice. Contact a Codel dealer to request a color chip sample.